High-Speed Neutron and Gamma Flux Sensor for Monitoring Surface Nuclear Reactors, Phase II



Completed Technology Project (2011 - 2013)

Project Introduction

NASA needs compact nuclear reactors to power future bases on the moon and/or Mars. These reactors require robust automatic control systems using low mass, rapid response, in-core reactor power monitoring sensors and radiation tolerant sensor interrogation systems that do not yet exist. Luna proposes to develop a new type of fiber optic miniature neutron flux and gamma flux sensor, which will have significantly faster response than recently developed fiber optic radiation sensors. The new sensors will maintain the advantages of current fiber optic reactor sensor technology, including small size for in-core sensor distributions, high temperature performance (above 600

0

C), and immunity to electrical noise in the presence of ionizing radiation. During Phase II Luna will optimize the sensor design and the interrogation system for high temperature in-core monitoring of both gamma flux and neutron flux with internal thermal compensation and in-situ thermal calibration. At the end of Phase II, Luna will deliver a lightweight sensor interrogation system, utilizing experimentally verified radiation hardened components wherever possible, and including an analog output signal for interfacing with standard reactor control electronics.

Primary U.S. Work Locations and Key Partners





High-Speed Neutron and Gamma Flux Sensor for Monitoring Surface Nuclear Reactors, Phase II

Table of Contents

Project Introduction	1
Primary U.S. Work Locations	
and Key Partners	1
Project Transitions	2
Organizational Responsibility	2
Project Management	2
Technology Maturity (TRL)	3
Technology Areas	3
Target Destinations	3



Small Business Innovation Research/Small Business Tech Transfer

High-Speed Neutron and Gamma Flux Sensor for Monitoring Surface Nuclear Reactors, Phase II



Completed Technology Project (2011 - 2013)

Organizations Performing Work	Role	Туре	Location
Luna Innovations, Inc.	Lead Organization	Industry	Roanoke, Virginia
Glenn Research Center(GRC)	Supporting Organization	NASA Center	Cleveland, Ohio

Primary U.S. Work Locations	
Ohio	Virginia

Project Transitions

O

June 2011: Project Start



May 2013: Closed out

Closeout Documentation:

• Final Summary Chart(https://techport.nasa.gov/file/138949)

Organizational Responsibility

Responsible Mission Directorate:

Space Technology Mission Directorate (STMD)

Lead Organization:

Luna Innovations, Inc.

Responsible Program:

Small Business Innovation Research/Small Business Tech Transfer

Project Management

Program Director:

Jason L Kessler

Program Manager:

Carlos Torrez

Principal Investigator:

Matthew Davis

Co-Investigator:

Matthew M Davis




Small Business Innovation Research/Small Business Tech Transfer

High-Speed Neutron and Gamma Flux Sensor for Monitoring Surface Nuclear Reactors, Phase II



Completed Technology Project (2011 - 2013)



Technology Areas

Primary:

- TX03 Aerospace Power and Energy Storage
 - ─ TX03.3 Power
 Management and
 Distribution
 - ─ TX03.3.1 Management and Control

Target Destinations

The Sun, Earth, The Moon, Mars, Others Inside the Solar System, Outside the Solar System

